



सीएसआईआर-केंद्रीय खाद्य प्रौद्योगिक अनुसंधान संस्थान
CSIR- CENTRAL FOOD TECHNOLOGICAL RESEARCH INSTITUTE
मैसूरु / MYSURU-570 020, भारत / INDIA

(Constituent Laboratory of CSIR, New Delhi (Ministry of Science & Technology)
An ISO 9001:2008, ISO 14001:2004 & ISO 17025:2005, NABL Accredited Laboratory

सं. /No. CFTRI /74215/2021

दिनांक / Date: 06th August 2021

NOTICE INVITING TENDER

क्रम सं. Sl. No.	निविदा संदर्भ Tender Reference	विवरण / Description
1	CFTRI/74215/2021	Flaking Line – 1No.

1. Director, CSIR-CFTRI, Mysuru invites tenders for supply, installation & commissioning and satisfactory demonstration of Flaking Line – 1No.
2. Last date for submission of Tender is 2.00 P.M. (IST) on 23/August/ 2021 online in etenders.gov.in.
3. Technical Bid Opening online in e-tender portal at 2.30P.M(IST) on 24/August/2021
4. EMD: Nil, Bid Security Declaration Form (As per Annexure-4 must be uploaded along with technical bid)
5. Bidder has to submit Non-applicability of exclusion form restrictions under Rule 144(xi) of GFR-2017 (Format enclosed with tender documents)
6. This tender is open for Purchase Preference to Make in India and MSME, Bidder must upload class I/class II self-certification Format along with Technical Bid.

हस्ता./Sd/-

अनुभाग अधिकारी (भंडार एवं क्रय)

Section Officer (Stores & Purchase)

Ph: +91- 821-2515440/2515447

E-mail: cosp@cftri.res.in, sosp@cftri.res.in

CRITICAL DATE SHEET

CRITICAL DATE SHEET:

Tender Ref/No. CFTRI/74217/2021

Sl.No.	Stage	Date & Time
1	Publish Date & Time	06/08/2021 @ 3.00p.m.
2	Document Download Start Date & Time	06/08/2021 @ 3.00p.m.
3	Bid submission Start Date & Time	10/08/2021 @ 5.00p.m.
4	Bid submission End Date & Time	23/08/2021 @ 2.00p.m.
5	Bid Opening Date & Time	24/08/2021 @ 2.30p.m.

TECHNICAL SPECIFICATION IN DETAIL

EQUIPMENT LIST WITH SPECIFICATIONS


1. Millet flaking system & accessories:


Complete plant for processing of millets, to produce polished millets, at a capacity of 1 Tonne per hour consisting of the following machinery and accessories as per tentative plant layout enclosed.

List of equipment include Input material for raw material, Storage bin, Continuous cereal roller flaker, Belt conveyor for flakes discharge, Slat conveyor with hopper, Storage bins for flakes, Flakes packing system with all accessories for continuous operation at 300 – 400 kg/h capacity.

The detailed specifications and essential features of each individual machine/ system is as indicated below:

Sl. No.	Specifications and essential features of individual machine/ system	Quantity
1	<p>Bucket elevator:</p> <p>Bucket elevators for vertical transport and discharge of grains from one machine's output to the inlet of the subsequent machine. The Head of the elevator should be made out of heavy – duty galvanized steel construction for clean discharge. Sectioned Head cover should be provided for easy service of internal components. The drive to the crowned pulley should be through a gear reducer with easily adjustable torque arm and should be noiseless in operation. The pulleys should be crowned and fitted with taper – lock bushings, non-slip rough top lagging for maximum traction. Sealed, high quality, high duty bearings having low maintenance and long life should be used. The belt should be made from high strength PVC belt for minimal stretch, impregnated solid carcass, and pre – punched for easy bucket mounting. Buckets should be made out of high quality Polyethylene CC material with deep terminal design. Trunking should be of twin box construction made out of heavy gauge ASTM A-526 G90 galvanized steel, double seam, track welded for perfect alignment. Trunking should be provided with inspection sections for easy access to belt and buckets. The boot should be made out of heavy gauge galvanized steel having easy to adjust take – ups for the boot pulley. Clean – out doors that easily slide open to access the elevator boot floor for cleaning should be provided. The output pipe from elevator to the subsequent machine should be made out of AISI304 SS material. The standalone elevator should be supplied in accordance with the requirements of the entire plant for continuous, trouble – free operation. In case of the elevator feeding material to multiple storage bins, a distributor with individual feed gates is to be provided to facilitate discharge of material to the required bin.</p> <p>The system should be fitted with all regulatory safety features. The electrical motors used in the system should have an efficiency of 80% and above. The system should be fitted with appropriate capacity motors of continuous rating and automatic starter, both of reputed make to run on 415V, 50Hz, 3 phase AC supply.</p>	1

Sl. No.	Specifications and essential features of individual machine/ system	Quantity
	<p>Capacity: 1000 kg/h (1TPH)</p>	
2	<p>Heavy Duty, Continuous Cereal Roller Flaker: Heavy duty, continuous cereal roller flaker to convert conditioned grains into flakes up to 0.4mm or less. The flaker should consist of 2 counter rotating, centrifugally cast (spun cast) chilled Cast Iron rollers with smooth finish, having a hardness of 550 – 560BHN. The chill depth should be for a minimum of 15mm or more. Roll diameter: 460mm, Roll length: 610mm The roll pressure should be applied by substantial disc springs, which will compress in case of a hard material passes through the roll thus minimizing the damage to the roll surface or machine. The system should have a single manual with integral micrometer gauge to provide fine parallel roll gap adjustment and measurement. The roll drive should be through a single electric motor with heavy duty inter – roll belt with a choice of roll speeds and differentials. The differential roll speeds should be of the ratios 1:1, 1:1.06 and 1:1.12. The adjustable scraper blades with adjustable counterweights to regulate pressure should be provided to keep the rolls clean and remove any sticking material on the rolls. Quote separately for the model with water cooled rolls which should be supplied with water tank, water lines, trunnions and all necessary accessories. The discharge should be via integral hopper boards and the flaker should be fitted with stainless steel covers to enclose all moving parts. It should also be provided with Polypropylene cheek plates to prevent whole grains going past the end of the nip. It should be supplied with variable speed feed roll unit. The mill roll feeder should be fit directly over the flaking mill and should be made out of AISI304 stainless steel material. It should essentially provide a 'curtain' of grains fully across the width of the roll. The fluted roll should be regulated in speed and gap to adjust the throughput. The system should have viewing access to monitor flow of material. The system should be supplied along with a belt conveyor with belt made of food grade material to transport the flakes from below the flaker to be collected separately. The discharge height of this flakes conveyor should be at least 1 m (3 feet) from the ground level.</p> <p>The system should be fitted with all regulatory safety features. The electrical motors used in the system should have an efficiency of 80% and above. The system should be fitted with appropriate capacity motors of continuous rating and automatic starter, both of reputed make to run on 415V, 50Hz, 3 phase AC supply.</p> <p>Capacity: 300 - 400 kg/h</p> <p style="text-align: center;"><i>Schematic diagram of flaking line:</i></p> 	1
3	<p>Slat Belt Conveyor: The slat type (cleated) belt conveyor system or Z type elevator is required to transfer the flakes (after drying) through an inlet hopper on to the Storage bin. The belt material should be made out of food grade material with all other contact parts made out of</p>	As per layout

Sl. No.	Specifications and essential features of individual machine/ system	Quantity
	<p>AISI304 Stainless steel material. The design should ensure zero spillage of material. It should have a single point of drop with gentle handling of material, least maintenance and quiet in operation.</p> <p>The system should be fitted with all regulatory safety features. The electrical motors used in the system should have an efficiency of 80% and above. The system should be fitted with appropriate capacity motors of continuous rating and automatic starter, both of reputed make to run on 415V, 50Hz, 3 phase AC supply.</p> <p>Capacity: 300 - 400 kg/h</p>  <p>The diagram illustrates a 'Flakes packing system'. It starts with a hopper labeled 'From Dryer' at the top left. A red arrow points down into a 'Slot Conveyor' which moves material to the right. From there, an inclined red arrow leads up to a 'Storage Bin'. A red arrow points down from the bottom of the bin to another 'Slot Conveyor' which moves material to the right. Finally, a red arrow points down into a 'Packing machine' on the far right. A yellow box at the bottom of the diagram is labeled 'Flakes packing system'.</p>	
4	<p>Storage tanks with structure: Storage tank to store conditioned millets and flakes, separately. The tanks and systems in contact with grains should be made out of 3mm thick AISI304 SS material and the support structure should be made out of MS. The structure should be complete with stair case, walkways, railings and grating platform ensuring complete safety of personnel. The outlet of these tanks should be such that there is free flow of material to the next machine. Thus the angle of the pipe from the outlet of the tank to the inlet hopper of the elevator should be 70° from the horizontal or higher.</p> <p>The following storage tanks are required:</p> <ol style="list-style-type: none"> To store conditioned millet grains consisting of 2 tanks each tank having a holding capacity of 500 kg To store dried millet flakes, consisting of 2 tanks, each tank having a holding capacity of 300 kg of flakes 	<p>As required</p> <p>1 set</p> <p>1 set</p>
5	<p>Continuous weighing and bag filling machine for flakes A semi – automatic, continuous Auger type packing machine for material like millet flakes with a maximum filling capacity of 20kg with provision to pack into unit packs of 5kg, 10kg and 15kg. The stitching type machine should be automatic/manual system with all contact parts made out of Stainless steel, with an accuracy of filling of 0.6% or better. System should run on 3 phase, 415V, and 50Hz supply. The standalone system should be supplied complete with all accessories like processor based electronic weighing system with load cells, pneumatically/ electrically operated functions and operator interface (HMI). The unit should also have an in – built pouch/ bag counter. It should be able to handle a range of packing material like plastic, cloth, plastic woven sacks depending on the unit size of packing. Air compressor required for the system with all accessories has to be included in the scope of supply.</p>	1
7	Incoming cables and accessories	
8	Packing, transport, insurance, unloading, installation	

General:

In addition to the detailed specifications of the machinery, the following points may also be added in the specifications of machinery

1. The scope of supply shall include transportation of machinery to CFTRI, installation and commissioning charges at the site as indicated by CFTRI.
2. Training on the operation and maintenance of the machinery should be provided by the supplier to the staff identified by the Institute.
3. Essential spares of machinery for smooth functioning of the plant should be supplied.
4. All tools required for maintenance of each individual machinery should be supplied.
5. All open drives should be provided with safety guards and operator safety should be ensured.
6. Pits made for installing the elevators should be covered with removable grating to ensure operator safety.
7. All machinery should be supplied with electrical motor and matching starter.
8. The electrical motors supplied with the machinery should be from reputed manufacturers and each motor should have an efficiency of 80% and above.
9. Control buttons for starting/ stopping the individual machine should be provided.
10. All automatic systems should be provided with a provision to run them either on automatic or manual mode.
11. All hoppers should be fitted with individual feed gate to adjust the flow rate of material. Optional: Quote separately for pneumatically operated feed gates complete with all accessories including pipelines, air compressors and safety features. These pneumatic system should have a provision to operate the feed gate either automatically or manually.
12. Control panel for the entire plant should be provided along with all regulatory safety features, indicator lamps, voltage, current and power factor indicators should be provided.
13. The charges for wiring the individual machinery from the supplied control panel with all necessary and regulatory safety features should be included in the scope of supply.
14. The AMC for the entire plant beyond the warranty period should also be indicated for another 5 years.
15. The colour scheme of painting of all machines shall be uniform. Colour scheme, preferably Cream (CMYK: 0, 1, 18, 0, Hex triplet #FFFDD0 and Cerulean (CMYK: 100, 26, 0, 35, Hex triplet: #007BA7) or equivalent. Cerulean colour percentage should be about 20 - 25%.
16. Unless mentioned otherwise, each machine should be provided with a surge hopper to hold material for 15 – 20 minutes of operation with an individual, adjustable feed gate.
17. All vibrating/ reciprocating/ gyratory machines should be supplied with individual anti – vibration mountings.
18. All civil construction requirements for erection and commissioning of the machines should be included in scope of supply.

INSTRUCTIONS TO BIDDERS

1. The Instructions, Terms & Conditions, General Conditions of Contract (GCC), Special Conditions of Contract (SCC), Annexures and Formats hosted in our website www.cftri.res.in [Path: Home page → Tenders → Standard Tender Document (Scrolling Text)] constitute as an integral part of this tender.
2. Bidders should submit their Financial Bid in the format provided (Price Schedule Format/BOQ) and same has to be uploaded in the above etender.gov.in. It is mandatory for all the bidders to upload duly filled Price Schedule Format/BOQ towards submission of their Financial Bid. No changes or modification to the given format is acceptable. Bidders are required to go through the instructions carefully before filling the Price Schedule Format/BOQ.
3. Please note that CSIR-CFTRI, Mysore is registered with the Department of Scientific and Industrial Research (DSIR) for purpose of availing GST @5% concessional rate as per Central Tax(Rate)/Integrated Tax(Rate) in terms of Notification No. 45/2017-Central Tax (Rate)/No. 47/2017- Integrated (Rate) Dt. 14-11-2017. You are advised to quote accordingly.
4. **EMD: NIL, Bid Security Declaration(BSD) Form (Annexure-4) must be uploaded along with technical bid.**
5. **Performance Security:** The supplier shall furnish Performance Security of **3% of the contract value** valid for warranty period + additional 2 months after the warranty for this tender.
6. Integrity Pact is not applicable for this tender.
7. **Warranty:** One year minimum from the date of supply, installation & Commissioning, demonstration and acceptance by the Purchaser.
8. **Delivery Period:** Delivery should be effected within 6-8 weeks from the date of issue of Purchase Order.
9. **Terms of Payment:** The method and conditions of payment to be made to the supplier under this Contract shall be as follows:
Payment for Goods and Services supplied from India:

Payment for Goods and Services supplied from within India shall be made in Indian Rupees [INR] only as follows:

A. On Delivery, Installation & Commissioning, Demonstration and Acceptance:

- a) 90 % (Ninety Percent) of the Contract Price shall be paid on Delivery of the Goods, Installation & Commissioning, Demonstration and Satisfactory Acceptance of Items & upon submission of the documents specified in GCC/SCC and the acceptance certificate issued by the Purchaser.
- b) Balance 10% payment will be made to the supplier against submission of Performance Security valid for warranty period + additional 2 months issued by Scheduled Commercial Bank.

or

B. Inland Letter of Credit: The inland L/C will be confirmed at the suppliers cost, if requested specifically by the supplier. All bank charges shall be to the account of the beneficiary i.e. Supplier. If L/C is requested to be extended/ reinstated for reasons not attributable to the supplier, charges shall be to the account of the opener i.e. Purchaser. If L/C is requested to be extended/ reinstated for reasons not attributable to the Purchaser, the charges thereof would be to the Suppliers' account. The inland LC for 100% value of the contract shall be established. The payment shall be made in Indian Rupees, as follows:

- (a) 90 % (Ninety Percent) of the Contract Price shall be paid on Delivery of the Goods, Installation & Commissioning, Demonstration and Satisfactory Acceptance of Items & upon submission of the documents specified in GCC/SCC and the acceptance certificate issued by the Purchaser
- (b) Balance 10% payment will be made to the supplier against submission of Performance Security valid for warranty period + additional 2 months issued by Commercial Scheduled Bank.

10. As per Govt. of India procurement policies,

a. The purchaser intends to give purchase preference to local suppliers. There is a restriction on the eligibility of the foreign suppliers/their Indian agents for item with estimated value up to 200 Crores, as per instruction issued by the Govt. of India from time to time in this regard.

b. The procuring entity intends to give purchase preference to products/goods manufactured by micro, small & medium enterprises. "Local supplier" means a supplier or service provider whose product or service offered for procurement meets the minimum local content as prescribed in DIPP Order No.P45021/2/2017-PP (BE-II) dated 28th May, 2018 or by the competent Ministries/Departments in pursuance of this order. As amended from time to time please also refer to Govt. of India (GOI) Ministry of Commerce & Industry, Department of

Promotion of Industry & Internal Trade (DPIIT) Notification no. P45021/2/2017-PP (BE-II) dt. 04.06.2020 & other orders issued by the Govt. of India on "Make in India" from time to time for reference and further details.

"Local content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the items procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

"Class I-Local Supplier"- means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined under the said GoI, DIIPT order dt. 04.06.2020 as amended from time to time.

"Class II-Local Supplier" means a supplier or service provided, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under the said GoI, DIIPT order dt. 04.06.2020, as amended from time to time.

"Non-Local Supplier means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20% as defined under the said DIIPT order dt. 04.06.2020 as amended from time to time.

Verification of local content

- a. The "Class-I local supplier"/ "Class-II local supplier" at the time of tender, bidding or solicitation shall be required to indicate percentage of local content and provide self-certification (as per format attached below) that the item offered meets the local content requirement for "Class-I local supplier" / "Class-II local Supplier", as the case may be. They shall also give details of the location(s) at which the local value addition is made.
- b. In case of procurement for a value in excess of Rs.10 crores, the "Class-I local suppliers" / "Class-II local suppliers" shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.
- c. Decision on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating to the procuring entity.

Bidders in their own interest must refer to GOI, DIIPT order dt. 04.06.2020 & 16.09.2020, as amended from time to time & submit bid as extant Make in India. Submission of false or

misleading declaration in this regard will make bidder concerned liable for punitive action, as per applicable policy and procedures.

11. Compliance of restrictions under Rule 144 (xi) of the GFR, 2017 related to restrictions on participation of Foreign Bidders and their Authorized Indian Agent/ Dealer

- a. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
- b. "Bidder (including the terms "tenderer", consultant" or "service provider" in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated herein before, including any agency branch or office controlled by such person, participating in a procurement process.
- c. "Bidder from a country which shares a land border with India" for the purpose of this Order means: -
 - i. An entity incorporated, established or registered in such a country; or
 - ii. A subsidiary of an entity incorporated, established or registered in such a country; or
 - iii. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - iv. An entity whose beneficial owner is situated in such a country; or
 - v. An Indian (or other) agent of such an entity; or
 - vi. A natural person who is a citizen of such a country; or
 - vii. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

d. The beneficial owner for the purpose of (iii) above will be as under:

1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation----

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders' agreements or voting agreements.

1. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
2. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
3. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
4. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

VI. The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Bidders are requested to submit the prescribed Certificate as per Annexure enclosed below with local details of local value addition.

12. Purchase Preference to Micro and Small Enterprises (MSEs) and Purchase Preference linked with MAKE IN INDIA Order shall be applicable subject to full compliance of Technical Specification and other terms and conditions of the RFQ / NIT and Contract, as per Government of India procurement policies.

The purchaser intends to give purchase preference to:

- Make in India (as per DPIIT Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 of Ministry of Commerce and Industry, Government of India. The preference to Public Procurement (Preference to Make in India) Order 2012 shall be subject to meeting technical specifications and full compliance of other terms and conditions of the RFQ / NIT and Contract.
- Products / goods manufactured by micro and small enterprises as per MSE order 2012 and any amendments thereon. If the bidder wants to avail the Purchase preferences, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the preview of public procurement policy for micro and small enterprises. In respect of bid for services, the bidder must be the service provider of the offered service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. The aforesaid Policy is meant for procurement of only goods produced and Services rendered by MSEs and not for any trading activities by them. An MSE unit will not get any Purchase Preference over any other MSE Unit.
- In case a bidder is eligible to seek benefit under Purchase PP- MAKE IN INDIA policy as well as PPP for MSE 2012, then the bidder should categorically seek benefits against only one of the two policies i.e. either MAKE IN INDIA OR MSE policy in BID FORM. The option once exercised cannot be modified subsequently.

Annexure-13

Format for declaration by the Bidder on Non-applicability of Exclusion from Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 (on Letter Head of the bidder)

(Ref: - Govt. of India, Ministry of Finance, Dept. of Expenditure Order No. F.No.6/18/2019-PPD dated 23.07.2020 {Public Procurement No.1} and subsequent orders on the subject)

Ref. No: _____ Date _____

To,

The Director,
CSIR-CFTRI,
Cheluvamba Mansion
Opp. Railway Museum, KRS Road,
Mysuru-570020

Sir,

With reference to your Tender No. _____ dated _____ I/We hereby undertake that "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I hereby certify that this bidder is not from such country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

Thanking you,

Yours sincerely,

Signature (Name of the Authorized Signatory)

Company Seal

"[Where applicable, evidence of valid registration by the Competent Authority shall be attached]"

Annexure-14

Self-Certification Form for Minimum 50% or for Minimum 20% Local Content (on Letter Head)

1. Ref: DPIIT Order No.P-45021/2/2017-PP (BE-II) pref. to Make in India dt. 28th May, 2018 as amended vide OM dated 16th Sept 2020 or by the competent Ministries/Departments in pursuance of this order.
2. Ref: Rule 153 (iii) of General Financial Rule - GFR (GoI)

This is to certify that percentage of local content against CSIR-CFTRI tender no..... dt.....and our technical bid no..... dt.isPercent(In Words.....) class/local supplier.

Local content value added- (PERCENTAGE)	
State:	
District:	
Place:	

Thanking you,

Yours sincerely,

Signature (Name of the Authorized Signatory)

Company Seal

COVER DETAILS - DOCUMENTS TO BE UPLOADED:

**Cover - 1: Pre-Qualification /Technical Bid (Techno-Commercial Details) for
Procurement of Flaking Line (Document Type .pdf)**

1. Eligibility Criteria

- (a) Catalogue / Brochure of the Model Quoted along with a schematic drawing of Flaking Line along with detailed description of the essential technical and performance characteristics of the goods being offered, with an item by-item commentary on the indented technical specification and documentary evidence of conformity of the goods and services to the bidding documents demonstrating substantial responsiveness of the goods being offered.
 - (b) Two (2) latest Purchase Order Copies with price of reputed Govt. Research Institutes/Organisation or any other institutions for the supply & installation and satisfactory functioning of the similar/equivalent equipment to comply with minimum eligibility criteria.
 - (c) User list for the quoted model along with contact Numbers and email ID
 - (d) Warranty offered and delivery schedule.
 - (e) Land boarder declaration (Annexure-13) and Local Content Certification (Annexure-14) as per enclosed format
2. Bidder Information Form (Annexure - 1)
 3. Manufacturer's Authorization Form (Annexure - 2)
 4. **Bid Security Declaration Form (Annexure-4)**
 5. Performance Statement Form (Annexure - 5)
 6. Deviation Statement Form (Annexure - 6)
7. Bidders must furnish a Compliance Statement of each and every required specification of our tender (Annexure-8)
8. Documents establishing goods eligibility and conformity to bidding document; indicating the Indian Customs Tariff Number (ICT & HSN No.)
 9. Schedule of Requirements - (Refer Chapter 5 for Format)
 10. Declaration abiding by the Code of Integrity and No Conflict of Interest for Public procurement (Annexure - 11)

Cover - 2: Price Schedule Format/BOQ (Document Type. xl) BOQ uploaded in etenders.gov.in

Please refer to our Standard Tender's Terms & Conditions uploaded in www.cftri.res.in under tender (Chapter-7) for above Format of Annexures. Any other supporting documents to avail preference/benefits as per Standard Tender Document must be uploaded with the Technical bid for technical qualification.